

McEwen 11047/11048

ERRPTM

Manufacturing Use Only

AFE Manufacturing Form  
4 Row Pull Type Windrower

Serial Number: 11048

Customer: McCrums

Dealer: HJU Equipment Ltd.

**Standard Equipment:**

- 1000 RPM PTO
- Rear Steering
- Dual 24" Coulters
- 2-17.5 x 24 Tires
- Heavy Duty 10 Bolt Bud Wheels
- Rotating Hydraulic Vibrator in Primary
- 35" Cross
- 40" Cross
- Center Pull Hitch
- Fully Hydraulic
- Electric Hydraulic Valves
- Standard Belted Chain



**Special Notes**

**Options**

<b>Row Spacing</b>	
* 32" with 30" chain	
* 34" with 32" chain	
* 36" with 33" chain	
* 36" with 34" chain	X
* 38" with 36" chain	

Colorado Fine

<b>Rear Tires</b>	
* 16.5 X 16.1 Tires	
* 17.5 X 24 Tires	X
* 28L X 26 Tires w/ Kinze Spindles	

871 Hubs/spindles

<b>Hitch Option</b>	
* Center Pull Hitch	X

Bull pull

<b>Digger Blade Bracket</b>	
* Standard	
* Rock Guard	X

<b>Digger Blades</b>	
* Regular Straight	
* Extended Straight plastic	X
* Clod Blades	
* Sand Blades	
* Full Width Solid Blade 3/4" x 12"	

<b>Primary Bed</b>	
* Full Width Common Lift	
* Full Width Side to Side Control	X
* 2-3 Row Bed's	

Manufacturing Use Only

AFE Manufacturing Form  
4 Row Pull Type Windrower

Serial Number: 11048

Customer: McCrum's

Dealer: HJV

**Primary Drive**

*Top Drive	
* Reverse Drive	X

**Primary Bed Chains**

* Single Width Belted	X
* Double Width Belted	
* Double Width w/ Double Belt Center	

**Primary Belted Chains**

* 45 mm All Straight Belted Chains	
* 45 mm 2 Down & 1 Straight Belted Chains	
* 50 mm All Straight Belted Chains	
* 50 mm 2 Down & 1 Straight Belted Chains	X
* 50 mm 1 Up & 2 Down Belted Chains	
* 56 mm All Straight Belted Chains	

**Primary Gear Box Option**

* 2,000 Hydraulic Motor	
* 6,000 Hydraulic Motor	
* 6,000 Hydraulic Motor w/Gearbox	X
* VIS Direct Drive Motor	

**Reversing Valve Primary**

* No Reversing Valves	
* Primary & Sec. / Devider	X

**Vibrator Primary**

*No Vibrator	
*2 <sup>nd</sup> Rotating Hydraulic Shaker Primary	
*Rocking Hydraulic Shaker Primary	X

**Secondary Bed Chains**

* Single Belted SRT	
* Full Belted 65" SRT	X

**Secondary Belted Chains**

* 45 mm All Straight SRT	
* 45 mm 2 Down & 1 Straight SRT	
* 50 mm All Straight SRT	
* 50 mm 2 Down & 1 Straight SRT	X

**Secondary Gear Box Option**

* 2,000 Hydraulic Motor	
* 6,000 Hydraulic Motor	
* 6,000 Hydraulic Motor w/Gear Box	X

Manufacturing Use Only

AFE Manufacturing Form  
4 Row Pull Type Windrower

Serial Number: \_\_\_\_\_

Customer: \_\_\_\_\_

Dealer: \_\_\_\_\_

**Deviner Gear Box Option**

* 2,000 Hydraulic Motor	
* 6,000 Hydraulic Motor	
* 6,000 Hydraulic Motor with Gear Box	X

**Deviner Belted Chain**

* 150mm Belted Chain	
* 180mm Belted Chain	X
* 200mm Belted Chain	

**Cross Conveyor**

* Right Hand Discharge	X
* Left Hand Discharge	
* Reversible Rear Cross	
* Split 24" Cross	

**Rear Cross**

* 35" Cross	
* 40" Cross	X
* 48" Cross	

**Rear Cross Chain**

* 40 mm All Straight SRT	
* 45 mm All Straight SRT	X

**Secondary Star Table Options**

* No Star Table Option	X
* 5 Stars with Distributor Stars on the Cross	<del>X</del>
* 6 Stars with 2 Adjustable Smooth Rollers and Distributor Stars on Cross	
* 6 Stars with 2 Adjustable Smooth Roll and Distributor Stars on Cross, extra Star Roller on left	

NO! per GM  
*[Signature]*

**Rear Leveling**

* No Rear Leveling	
* Rear Leveling	X

Like drawing Sent

**Gauge Wheels**

* No Gauge Wheels	X
* Two Single Gauge Wheels	

**Vine Separators**

* Double Disk Coulters	X
* Kickers	

Manufacturing Use Only

AFE Manufacturing Form  
4 Row Pull Type Windrower

Serial Number: 11048

Customer: McCrum

Dealer: HJV

*3<sup>rd</sup> Coulter Assembly*

* No 3 <sup>rd</sup> Coulter	X
* One Coulter	
* Two Coulter	

Customer Acceptance:

Dealer Acceptance: Beaucher, Jan 10/11.

AFE Acceptance:

Comments: Hydraulic jack - (see contents)

Manufacturing Use Only

AFE Manufacturing Form  
4 Row Pull Type Windrower

Serial Number: 11047

Customer: McCorms

Dealer: Hsu Equipment Ltd.

**Standard Equipment:**

- 1000 RPM PTO
- Rear Steering
- Dual 24" Coulters
- 2-17.5 x 24 Tires
- Heavy Duty 10 Bolt Bud Wheels
- Rotating Hydraulic Vibrator in Primary
- 35" Cross
- 40" Cross
- Center Pull Hitch
- Fully Hydraulic
- Electric Hydraulic Valves
- Standard Belted Chain

--	--

*Special Notes*

**Options**

<b>Row Spacing</b>	
* 32" with 30" chain	
* 34" with 32" chain	
* 36" with 33" chain	
* 36" with 34" chain	X
* 38" with 36" chain	

(Colorado Frame)

<b>Rear Tires</b>	
* 16.5 X 16.1 Tires	
* 17.5 X 24 Tires	X
* 28L X 26 Tires w/ Kinze Spindles	

871 Hubs/spindles

<b>Hitch Option</b>	
* Center Pull Hitch	X

w/ Ball pull

<b>Digger Blade Bracket</b>	
* Standard	
* Rock Guard	X

<b>Digger Blades</b>	
* Regular Straight	
* Extended Straight plastic	X
* Clod Blades	
* Sand Blades	
* Full Width Solid Blade ¾" x 12"	

<b>Primary Bed</b>	
* Full Width Common Lift	
* Full Width Side to Side Control	X
* 2-3 Row Bed's	

Manufacturing Use Only

AFE Manufacturing Form  
4 Row Pull Type Windrower

Serial Number: 11047.  
 Customer: McCrum's  
 Dealer: HJV.

**Primary Drive**

*Top Drive	
* Reverse Drive	X

**Primary Bed Chains**

* Single Width Belted	X
* Double Width Belted	
* Double Width w/ Double Belt Center	

**Primary Belted Chains**

* 45 mm All Straight Belted Chains	
* 45 mm 2 Down & 1 Straight Belted Chains	
* 50 mm All Straight Belted Chains	
* 50 mm 2 Down & 1 Straight Belted Chains	X
* 50 mm 1 Up & 2 Down Belted Chains	
* 56 mm All Straight Belted Chains	

**Primary Gear Box Option**

* 2,000 Hydraulic Motor	
* 6,000 Hydraulic Motor	
* 6,000 Hydraulic Motor w/Gearbox	X
* VIS Direct Drive Motor	

**Reversing Valve Primary**

* No Reversing Valves	
* Primary + Sec/Downer	X

**Vibrator Primary**

*No Vibrator	
*2 <sup>nd</sup> Rotating Hydraulic Shaker Primary	
*Rocking Hydraulic Shaker Primary	X

**Secondary Bed Chains**

* Single Belted SRT	
* Full Belted 65" SRT	X

**Secondary Belted Chains**

* 45 mm All Straight SRT	
* 45 mm 2 Down & 1 Straight SRT	
* 50 mm All Straight SRT	
* 50 mm 2 Down & 1 Straight SRT	X

**Secondary Gear Box Option**

* 2,000 Hydraulic Motor	
* 6,000 Hydraulic Motor	
* 6,000 Hydraulic Motor w/Gear Box	X

Manufacturing Use Only

AFE Manufacturing Form  
4 Row Pull Type Windrower

Serial Number: 11047

Customer: McCrums

Dealer: \_\_\_\_\_

**Deviner Gear Box Option**

* 2,000 Hydraulic Motor	
* 6,000 Hydraulic Motor	
* 6,000 Hydraulic Motor with Gear Box	X

**Deviner Belted Chain**

* 150mm Belted Chain	
* 180mm Belted Chain	X
* 200mm Belted Chain	

**Cross Conveyor**

* Right Hand Discharge	
* Left Hand Discharge	X
* Reversible Rear Cross	
* Split 24" Cross	

**Rear Cross**

* 35" Cross	
* 40" Cross	X
* 48" Cross	

**Rear Cross Chain**

* 40 mm All Straight SRT	
* 45 mm All Straight SRT	X

**Secondary Star Table Options**

* No Star Table Option	X
* 5 Stars with Distributor Stars on the Cross	
* 6 Stars with 2 Adjustable Smooth Rollers and Distributor Stars on Cross	
* 6 Stars with 2 Adjustable Smooth Roll and Distributor Stars on Cross, extra Star Roller on left	

**Rear Leveling**

* No Rear Leveling	
* Rear Leveling	X

Like drawing Sent

**Gauge Wheels**

* No Gauge Wheels	X
* Two Single Gauge Wheels	

**Vine Separators**

* Double Disk Coulters	X
* Kickers	



Manufacturing Use Only

AFE Manufacturing Form  
4 Row Pull Type Windrower

Serial Number: 11047

Customer: Mc Crums

Dealer: HSU

*3<sup>rd</sup> Coulter Assembly*

* No 3 <sup>rd</sup> Coulter	X
* One Coulter	
* Two Coulter	

Customer Acceptance:

Dealer Acceptance: Decker Jan 10/11

AFE Acceptance:

*Comments: Hydraulic jack - (see center)*