


#1509

4RS9H Wrafercord


Chido




2520

2520

2520



1120-15115-18011-LH
382236-7
2010-20026



5#
 1309 47504 9693
 E.H. 10

4 Row Warp - A - Round
 36" with spacer

Rim $\frac{7}{16} \times 34 \times 45 \text{ mm}$ 20x15
 Sec $\frac{7}{16} \times 69 \times 45$

Dev $\frac{7}{16} \times 69 \times 18 \text{ mm}$

Side $\frac{7}{16} \times 65 \times 45 \text{ mm}$

Cross $\frac{7}{16} \times 35 \times 45 \text{ mm}$

Soot-Boom $\frac{7}{16} \times 35 \times 45 \text{ mm}$

Side - Soot-Boom Fans both sides
 Cross Fans one side

Vibration -

410 From Lensons

282x20 Year

12.5x24 Ft

CAS SET BACK

4 W. Rivets

Extended. Sec 9 Riv.

65' in Table ability to flex over the top

Raise Sump Ball

Soot & side drive chain on the inside

2415 24th St.
Port Huron, MI 48060
313/985-8183
FAX 313/985-8183 Ext. 22


Trachen-Track, INC.

CORPORATE HEADQUARTERS
2115 RUST AVENUE • P.O. BOX 1508
SAGINAW, MICHIGAN 48605 • 517/752-4181

MICHIGAN WATTS 1-800-968-4181 • FAX 517-752-0538

① 1996 Rep. 15.000
w/ 4730 T
Monmouth
Sub. 124 to GA

8	6	01
7		11
6		1
5	4	3



Fuse

Turns 5

4X Multiplier

082318
J.D. Bumpkin
A/2

3787

4X4 Lock (R2)
86 85 871
- 30 85 871

86 Black 1
87 Black 1
30 Black 01 (2)

4X4 (R3)
86 85 871
- 30 85 871

85 ±

86 Orange 144 (2)

87 Black 1

30 Black 01 (2)

START (R1)

86 85 871
- 30 85 871

85 ±

86 Orange 144 (2)

87 Red 2

30 White 104 (5)

Right-White Lights

86 85 871
- 30 85 871

85 ±

86 Blue 036 (2)

87 #2

30 Blue 36

Left-White Lights

86 85 871
- 30 85 871

85 ±

86 Blue 034 (2)

87 #3

30 Black 34

Turn 2 - M-184E

Harro 5

Back In Lights
86 85 871
- 30 85 871

85 ±

86 Brown 05 (2)

87 #12

30 Brown 6

ROD LIGHTS

86 85 871
- 30 85 871

85 ±

86 Purple 028 (1)

87 #12

30 Purple 28

Car Field

86 85 871
- 30 85 871

85 ±

86 Brown 504 (3)

87 #8

30 Brown (4) 507 (2)

Car Field

86 85 871
- 30 85 871

85 ±

86 Brown 503 (3)

87 #8

30 Brown (4) 526 (3)

Pin # 5 Yellow Plus

- 1 Red
- 2 Red
- 3 Red
- 4 Brown
- 5 White
- 14 Black
- 15 Black
- 18 Brown
- 20 Yellow

STB7 1 for 5.04

STB7 Ignition Side

Power from Turn Signal Switch

502 to 507

To Relay RA Street Light

Clutch Switch To Park Brake Switch 3 (2) NO

Clutch Switch To Brake Solenoid N.O. Brake/Buck 17

Brown 54

Right Turn Signal To

522 to 512

Left Turn Signal To

523 to 513

Yellow 53

Gauge Panel

Oil Pressure Gauge

Ground

Intermittent Lamp

Ignition Battery

Temperature Gauge

Fuel Gauge

White/Amber Light

Oil Pressure Light

Range 705 To Orange/Rto 11

Buck 20 To GNB Ground

Brown 526

Rto 21 To Fuse 11

Dark Green L17 To Orange 4

Buck 652 To White 58

Dark Blue 653 To Orange/Buck 9

Orange 924 To Orange/Buck 19

1 12VDC Rto 21


Blue 653
Sensor
Light

* 9 To 826562

1 12VDC Rto 21

Orange 924
Sensor
Light

* 10 To 826562



- Gauge Pin
- 1 OIL PRESSURE GAUGE
 - 2 GROUND
 - 3 INTERMEDIATE LAMPS
 - 4 IGNITION BATTERY
 - 5 TEMPERATURE GAUGE
 - 6 FUEL GAUGE
 - 7
 - 8
 - 9 WATER TEMPERATURE LIGHT
 - 10 OIL PRESSURE LIGHT
- CRANK 924 TO CRANK/BANK 9
 DARK BLUE 653 TO CRANK/BANK 9
 CRANK 924 TO CRANK/BANK 19
 BLUE 652 TO WHITE SE
 DARK GREEN LIT TO CRANK 4
 RPO 21 TO FUSE 11
 BROWN 526
 BROWN 20 TO GND GROUND
 PARK 705 TO CRANK/RPO 11

- Blue 2 5
- 1 Red
 - 2 Red
 - 3 Red
 - 4 BROWN
 - 5 WHITE
 - 14 Black 059
 - 15 Black 59
 - 18 BROWN 522
 - 20 Yellow 523
- STB 1 for 510
 STB 7 Ignition Side
 Power from Turn Signal Switch
 502 to 507
 To Relay RA Switch Relay
 CLUTCH SWITCH TO PARK BRK SWITCH 3(2) NO
 CLUTCH SWITCH TO BRK SW 10 NO
 CLUTCH SW 17
 BROWN 54
 522 to 512
 Right Turn Signal To
 Left Turn Signal To
 Yellow 53
 523 to 513

4RSPH W/PAH Around.

To Run 4 ON Gauge PAPER 12VDC

108	Black	M-TRACE	2	Black	RED	1	RED
109	RED		3	RED			
110	ORANGE		4	ORANGE			
111	Blue		5	Blue			
112	White	LIFT	6	Black/White			
113	BROWN		7	RED/White			
114	Purple	Swing	8	Blue/White			
115	GREEN		9	Green/White			
116	Yellow	LOUPTAS	10	Orange/Black			
117	BROWN		11	Blue/Black			
118	RED	GRADE	12	RED/Black			
119	Black		13	Green/Black			
			14				
			15				
			16	White/Black			

WHITE 12VDC To H-L. 12VDC

Gauge 1

PLUG #4

P. 11 RED

Plug 3

PIN *1

2

RED

RED

18

Power To Wiper

12

Power To Radio

705

Oil Pressure To Gauge

20

GROUND

503

BROWN

Light Switch Road Position To Relay

22

RED

Power To Dome Light - Light Switch - Radio Memory

507

BROWN

CAB Field Light Relay To CAB Field Lights

755

YELLOW

HYDRAULIC OIL TEMPERATURE WARNING LIGHT

924

ORANGE

OIL PRESSURE LIGHT TO SENDER

ORANGE/BLUE 19

526

BROWN

CAB ROAD LIGHT RELAY TO CAB ROAD LIGHTS

652

BLUE

FUEL GAUGE TO SENDER

WHITE 58

653

DARK BLUE

WATER LIGHT TO SENDER

ORANGE/BLACK 9

617

DARK GREEN

WATER GAUGE TO SENDER

ORANGE 4

504

BROWN

LIGHT SWITCH FIELD POSITION TO RELAY

16

15

14

13

12

11

*

10

9

8

*

7

6

5

4

3

2

LARGE PINS

*

FUSE BOARD TO APRN REST PANEL

1996
HRS 114
Ward Andrew
Ward Andrew

Panel #1

92 Yellow

91 Green

90 Orange

07 Black

00 Black

29 Yellow

84 Red

002 Black

86 Purple

88 Brown

85 White

87 Blue

Fuse #1 To Hazard Start To Switch

Fuse #2 To Right Lock Light Relay & Switch

Fuse #3 To Left Lock Light Relay & Switch

Fuse #4 To Park Brake Switch

Fuse #5 To Test Switches

Fuse #6 To Master Switch

Fuse #7 To Hazard Start To Switch

Fuse #8 To 2 Speed & White In Green Test Light

Fuse #9 To Back Up & Park Lights Relay To Switches

Fuse #10 To Metable Reverse & Visor Lock Activation

Fuse #11 To Metable Reverse & Visor Lock Activation

Fuse #12 To Metable Reverse & Visor Lock Activation

Fuse #13 To Metable Reverse & Visor Lock Activation

Fuse #14 To Metable Reverse & Visor Lock Activation

Fuse #15 To Metable Reverse & Visor Lock Activation

Fuse #16 To Metable Reverse & Visor Lock Activation

Fuse #17 To Metable Reverse & Visor Lock Activation

Fuse #18 To Metable Reverse & Visor Lock Activation

Fuse #19 To Metable Reverse & Visor Lock Activation

Fuse #20 To Metable Reverse & Visor Lock Activation

Fuse #21 To Metable Reverse & Visor Lock Activation

Fuse #22 To Metable Reverse & Visor Lock Activation

Fuse #23 To Metable Reverse & Visor Lock Activation

Fuse #24 To Metable Reverse & Visor Lock Activation

Fuse #25 To Metable Reverse & Visor Lock Activation

Fuse #26 To Metable Reverse & Visor Lock Activation

Fuse #27 To Metable Reverse & Visor Lock Activation

Fuse #28 To Metable Reverse & Visor Lock Activation

Fuse #29 To Metable Reverse & Visor Lock Activation

Fuse #30 To Metable Reverse & Visor Lock Activation

Fuse #31 To Metable Reverse & Visor Lock Activation

Fuse #32 To Metable Reverse & Visor Lock Activation

Fuse #33 To Metable Reverse & Visor Lock Activation

Fuse #34 To Metable Reverse & Visor Lock Activation

Fuse #35 To Metable Reverse & Visor Lock Activation

Fuse #36 To Metable Reverse & Visor Lock Activation

Fuse #37 To Metable Reverse & Visor Lock Activation


Fuse #38 To Metable Reverse & Visor Lock Activation

Fuse #39 To Metable Reverse & Visor Lock Activation

Fuse #40 To Metable Reverse & Visor Lock Activation

Fuse #41 To Metable Reverse & Visor Lock Activation

Fuse #42 To Metable Reverse & Visor Lock Activation



✓ Rm 41 Mirinda

✓ Blistered - 12V To Cross Press Suit
 ✓ R.O. 81 - Fuel Pump
 ✓ R.O. 121 - Lm White Auto Green M.O.
 ✓ Yellow 122 - Rm White Auto Green M.O.

92 Yellow
 91 Green
 90 Orange
 017 Black
 060 Black
 89 Yellow
 89 Red
 0012 Black
 88 Brown
 85 White
 028 Purple
 46 Brown
 39 White

✓ Rm 41

Rm #2 143
 06 Brown
 036 Blue
 034 Black
 407 Green
 144 Orange
 01 Black

✓ Rm 43

18 Red
 12 Red
 20 Black
 503 Brown
 22 Red
 507 Brown
 526 Brown
 504 Brown

✓ Rm 44

21 Red

✓ Rm 5

11 Red
 13 Red
 502 Brown
 104 White

1996 4/18 SPH

WIND AND HUMIDITY W/ WINDS

LT. FRONT

YELLOW 5320 (5) LEFT TURN
BLACK 301 PINK LT WIND LIGHTS
WHITE 27 PINK M INSIDE ROV SO
BLUE 26 PINK M INSIDE NO. 85
GREEN 1242 PINK INSIDE BAR

RIGHT FRONT

1 BROWN 5418 (5) RT TURN
1 BLACK 108 24 (4) M TABLE
1 RED 109 34 (4) "

1 ORANGE 116 44 (4) OUTR
1 BLUE 111 5 (4) "
1 WHITE 112 6 (4) LIGHT

1 BROWN 113 7 (4) "
2 PURPLE 114 8 (4) SWIMMING
2 GREEN 115 9 (4) "

2 YELLOW 116 10 (4) BOUTERS
2 BROWN 117 11 (4) "
2 RED 118 12 (4) BLOW

1 BLUE 119 13 (4) "
1 BLUE 120 14 (4) RT WIND LIGHTS
1 PURPLE 121 15 (4) PINK ROV LIGHTS

1 YELLOW 122 16 (4) VIA FET
1 RED 123 17 (4) VIA FET

ORANGE/RED 14 3 (3) OIL PRESS GA.

ORANGE/BLUE 19 9 (3) OIL PRESS LIGHT

WHITE 58 11 (3) FUEL GA.

ORANGE/BLUE 4 13 (3) W/INTERTEMP LIGHT

BLACK 1 14 (3) 4X4

BROWN/RED 12 13 (2) 2-SPR

BROWN/BLUE 17 15 (3) 3-RHRE

RED 2 20 (3) STMT SOL

RED/BLACK 7 21 (3) INCH

RED/BLUE 18 22 (3) GREEN

RED/ORANGE 23 23 (3) HYD OIL TEMP

BLUE 3 24 (3) GROUND FLY #3

BLUE/BLACK 8 25 (3) "

BLUE/RED 13 26 (3) FUEL STMT DFR

BLUE/ORANGE 21 27 (3) H/C PRESS H/C CUTCU

YELLOW 5 28 (3) PAIN/FET

YELLOW/BLACK 10 29 (3) "

YELLOW/RED 15 30 (3) SORT

YELLOW/BLUE 20 31 (3) HYD OIL LEVISE

YELLOW/ORANGE 25 32 (3) "

BROWN 6 33 (3) BACK WIND LIGHTS

BROWN/BLACK 11 34 (3) PRIM

BROWN/RED 16 35 (3) CROSS

BROWN/BLACK 21 36 (3) S.O.E. TRANS/THD SOL

WHITE 65 37 (3) NE LT WIND

GREEN 16 38 (3) NE RT WIND

BROWN 54 39 (3) RT TURN

YELLOW 53 40 (3) LT TURN

PURPLE 123 41 (3) PINK CLINT TEMP

RED 121 42 (3) LT WIND HURRY NO.

YELLOW 122 43 (3) RT WIND HURRY NO.

RED 123 44 (3) PINK

RED 124 45 (3) PINK

RED 125 46 (3) PINK

RED 126 47 (3) PINK

RED 127 48 (3) PINK

RED 128 49 (3) PINK

RED 129 50 (3) PINK

RED 130 51 (3) PINK

RED 131 52 (3) PINK

RED 132 53 (3) PINK

RED 133 54 (3) PINK

RED 134 55 (3) PINK

RED 135 56 (3) PINK

RED 136 57 (3) PINK

RED 137 58 (3) PINK

RED 138 59 (3) PINK

RED 139 60 (3) PINK

RED 140 61 (3) PINK

RED 141 62 (3) PINK

RED 142 63 (3) PINK

RED 143 64 (3) PINK

RED 144 65 (3) PINK

RED 145 66 (3) PINK

RED 146 67 (3) PINK

RED 147 68 (3) PINK

RED 148 69 (3) PINK

RED 149 70 (3) PINK

X 3C -	Red	12VDC 30AGB.	SENSE COMMON	TIPPLE
X 4H -	Black	$\frac{1}{2}$	TIPPLE/INPUT	
X 5F -	Purple/Black		ANALOG TIPPLE	
X 7C -	White		START SIGNAL INPUT - TO Red #2 RA	
X 8C -	BROWN		START/RUN TO Red #13 STB7	
X 30 -	BROWN/White			
X 31 -	Red/White			

PARK BRAKE
 LIGHT
 S F E E R
 LIGHT
 S PERD COLUMNS
 M-TAG & E
 REV
 SPEED.
 PRIM.
 4x4
 FORWARD

