

Sack #11

Potatoes

#07038

4RS PH  $\frac{w}{65}$  AH

# A.F.E. Manufacturing Order Form

Customer Name: S Potatoes  
 Address: \_\_\_\_\_  
 Phone Number: \_\_\_\_\_  
 Fax Number: \_\_\_\_\_

5-21-09

|                                          | Standard | Option  |
|------------------------------------------|----------|---------|
| Engine:                                  |          |         |
| M11-350HP Cummins                        |          |         |
| QSX-450HP Cummins                        |          | xxxxxxx |
| 470HP John Deere                         |          |         |
| 450HP CAT                                |          |         |
| Rear Tires:                              |          |         |
| 23.5 x 26                                |          |         |
| 26.5 x 26                                |          |         |
| 28L x 26                                 |          |         |
| 6600-43 x 25 Goodyear                    |          | xxxxxxx |
| Front Tires:                             |          |         |
| 17.5 x 24                                |          |         |
| 1400-24 x 12                             |          | xxxxxxx |
| 4800-25 x 30                             |          |         |
| Row Spacing:                             |          |         |
| 34" w/30" Bed                            |          |         |
| 34" w/32" Bed                            |          | xxxxxxx |
| 36" w/33" Bed                            |          |         |
| 36" w/34" Bed                            |          |         |
| Rows:                                    |          |         |
| 3                                        |          |         |
| 4                                        |          | xxxxxxx |
| 6                                        |          |         |
| 8                                        |          |         |
| Primary Bed:                             |          |         |
| Full Width-Common Lift                   |          | xxxxxxx |
| Split w/ Center Coulter                  |          |         |
| Full Width, side to side w/cylinder lift |          |         |
| Primary Bed:                             |          |         |
| Single Width                             |          | xxxxxxx |
| Flex LockWood Style                      |          |         |
| Double Width                             |          |         |
| Primary Drives:                          |          |         |
| Top Drive                                |          |         |
| Revering Drive                           |          | xxxxxxx |
| Chain & Sprocket                         |          |         |
| Gear Box                                 |          | xxxxxxx |
| Direct Drive Motor                       |          |         |
| VIS Motors                               |          |         |
|                                          | Standard | Option  |
| Secondary:                               |          |         |
| Regular Length                           |          |         |

For Office use Only:  
 Description: 4RSPH65LAH  
 Serial #: 09038  
 Build #: \_\_\_\_\_

# A.F.E. Manufacturing Order Form

Customer Name: \_\_\_\_\_

Address: \_\_\_\_\_

Phone Number: \_\_\_\_\_

Fax Number: \_\_\_\_\_

|                                      |          |                                                      |
|--------------------------------------|----------|------------------------------------------------------|
| 18" Extended                         | xxxxxxx  | To accomadate shorter Star Table                     |
| Second Secondary                     |          |                                                      |
| 24" Extended                         |          |                                                      |
| Secondary Chain:                     |          |                                                      |
| Full Width                           | xxxxxxx  |                                                      |
| Single Width                         |          |                                                      |
| Secondary Drive:                     |          |                                                      |
| Chain & Sprocket                     |          |                                                      |
| Gear Box                             | xxxxxxx  |                                                      |
| Deviner:                             |          |                                                      |
| 125mm - 5"                           |          |                                                      |
| 150mm - 6"                           | xxxxxxx  |                                                      |
| 150mm - 7"                           |          |                                                      |
| 200mm - 8"                           |          |                                                      |
| Deviner Drive:                       |          |                                                      |
| Chain & Sprocket                     |          |                                                      |
| Gear Box                             | xxxxxxx  |                                                      |
| Primary Reversing Valves - 2 needed: | xxxxxxx  |                                                      |
| Secondary & Deviner                  | xxxxxxx  |                                                      |
| Star Table:                          |          |                                                      |
| Non Adjustable                       |          |                                                      |
| Adjustable                           |          |                                                      |
| Full Width after Secondaries         | xxxxxxx  | Shortened Star Table less 2 stars and 1 steel roller |
| 4 Row                                | xxxxxxx  | with option to add back if needed                    |
| 6 Row                                |          |                                                      |
| Cross:                               |          |                                                      |
| 35"                                  |          |                                                      |
| 40"                                  |          |                                                      |
| 48"                                  | xxxxxxx  |                                                      |
| Split Cross:                         |          |                                                      |
| 2-24"                                |          |                                                      |
| AirHead:                             |          |                                                      |
| 40"                                  |          |                                                      |
| 50"                                  |          |                                                      |
| 65"                                  | xxxxxxx  |                                                      |
|                                      | Standard | Option                                               |
| Bell Cleaner:                        |          | NO BELL CLEANER                                      |
| Stone Conveyor:                      |          |                                                      |
| Hook Chain                           |          |                                                      |
| Belted Chain                         | xxxxxxx  |                                                      |



# A.F.E. Manufacturing Order Form

Customer Name: \_\_\_\_\_

Address: \_\_\_\_\_

Phone Number: \_\_\_\_\_

Fax Number: \_\_\_\_\_

|                                |          |         |                                                                     |  |  |  |  |
|--------------------------------|----------|---------|---------------------------------------------------------------------|--|--|--|--|
| Solid Floor                    |          | xxxxxxx | Open under air head                                                 |  |  |  |  |
| Vine Belt:                     |          |         |                                                                     |  |  |  |  |
| 40"                            |          |         |                                                                     |  |  |  |  |
| 50"                            |          |         |                                                                     |  |  |  |  |
| 65"                            |          | xxxxxxx | NO stars feeding on vine belt NO steel roll either with an actuator |  |  |  |  |
| 12'                            |          |         |                                                                     |  |  |  |  |
| 18'                            |          |         |                                                                     |  |  |  |  |
| Sort Table:                    |          |         |                                                                     |  |  |  |  |
| 30"                            |          |         |                                                                     |  |  |  |  |
| 35"                            |          |         |                                                                     |  |  |  |  |
| 40"                            |          |         |                                                                     |  |  |  |  |
| BulkLoader:                    |          |         |                                                                     |  |  |  |  |
| 30"                            |          |         |                                                                     |  |  |  |  |
| 35"                            |          |         |                                                                     |  |  |  |  |
| 40"                            |          | xxxxxxx |                                                                     |  |  |  |  |
| Vibrator:                      |          |         |                                                                     |  |  |  |  |
| Rotating Primary               |          | xxxxxxx |                                                                     |  |  |  |  |
| Rotating Secondary             |          |         |                                                                     |  |  |  |  |
| Rocking Shaker                 |          |         |                                                                     |  |  |  |  |
| Rear Steering:                 |          |         |                                                                     |  |  |  |  |
| Non Steerable                  |          |         |                                                                     |  |  |  |  |
| 37 Degree Steerable            |          | xxxxxxx | new style with foot pedal                                           |  |  |  |  |
| Front Wheel Motors:            |          |         |                                                                     |  |  |  |  |
| MS18                           |          | xxxxxxx |                                                                     |  |  |  |  |
| MS18 plus 20                   |          |         |                                                                     |  |  |  |  |
| Rear Wheel Motors:             |          |         |                                                                     |  |  |  |  |
| MS35                           |          |         |                                                                     |  |  |  |  |
| MS50                           |          | xxxxxxx |                                                                     |  |  |  |  |
| MS83                           |          |         |                                                                     |  |  |  |  |
| Ground Drive:                  |          |         |                                                                     |  |  |  |  |
| 2 Wheel                        |          |         |                                                                     |  |  |  |  |
| 4 Wheel                        |          | xxxxxxx |                                                                     |  |  |  |  |
| Tandem 248 Primary Pump        |          |         |                                                                     |  |  |  |  |
|                                | Standard | Option  |                                                                     |  |  |  |  |
| Triple 248 Primary & Secondary |          |         | Electronic                                                          |  |  |  |  |
| Tandem Pumps to drive AirHead: |          |         | Electronic                                                          |  |  |  |  |
| M-Table:                       |          |         |                                                                     |  |  |  |  |
| Fan for M-Table:               |          |         |                                                                     |  |  |  |  |

## A.F.E. Manufacturing Order Form

Customer Name: \_\_\_\_\_

Address: \_\_\_\_\_

Phone Number: \_\_\_\_\_

Fax Number: \_\_\_\_\_

[illegible]

# A.F.E. Manufacturing Order Form

Customer Name: \_\_\_\_\_

Address: \_\_\_\_\_

Phone Number: \_\_\_\_\_

Fax Number: \_\_\_\_\_

Customer Approval/Acceptance:

Date:

*Jeff Bartlett*

3-26-09

Additional Comments:

Fold over stone box

12" Raize in cab

Electrical gauges

Removable sand pans on primarys

Kicker for vine cutters

Electronic air head leveling

Front axle to be on 32" centers RH side 34" LH side 32"

Digger Blades outside offset 2 middle center

Window in bin

4 Camera System



AL

[illegible]

## PROJECT NO.

[illegible]



# Detail List

| Part#          | Description                           | Qty                 |
|----------------|---------------------------------------|---------------------|
| 100037         | 3/8" Steel Line Clamp                 | XV                  |
| 100050         | 1/2" Steel Line Clamp                 | XXXXXXV (1111)      |
| 100062         | 5/8" Steel Line Clamp                 | XXXXX               |
| 100087         | 7/8" Steel Line Clamp                 | XXXXXXXXXX XXXV XXV |
| 100100         | 1" Steel Line Clamp                   | XXXXXX              |
| 100125         | 1 1/4" Steel Line Clamp               |                     |
| 100150         | 1 1/2" Steel Line Clamp               |                     |
| 100200         | 2" Steel Line Clamp                   |                     |
| 100225         | 2 1/4" Steel Line Clamp               |                     |
| 100250         | 2 1/2" Steel Line Clamp               |                     |
| ABAX1000-06    | Straight Tube Adapter to JIC Male #6  |                     |
| ABAX1000-08    | Straight Tube Adapter to JIC Male #8  |                     |
| ABAX1000-10    | Straight Tube Adapter to JIC Male #10 |                     |
| ABAX1000-14-12 | Strght Tube Adptr to JIC Male #14-12  |                     |
| ABAX1000-16    | Straight Tube Adapter to JIC Male #16 |                     |
| BA19-06        | 3/8" Replacement Sleeve               |                     |
| BA19-08        | 1/2" Replacement Sleeve               |                     |
| BA19-10        | 5/8" Replacement Sleeve               |                     |
| BA19-14        | 7/8" Replacement Sleeve               |                     |
| BA19-16        | 1" Replacement Sleeve                 |                     |
| BAX1100 06     | 3/8" NPT Female x 3/8" Tube           |                     |
| BAX1100 08     | 1/2" NPT Female x 5/8" Tube           |                     |
| BAX1100 10     | 1/2" NPT Female x 5/8" Tube           |                     |
| BAX1100 14     | 3/4" NPT Female x 7/8" Tube           |                     |
| BAX1200 06     | 3/8" Tube Union                       |                     |
| BAX1200 08     | 1/2" Tube Union                       |                     |
| BAX1200 10     | 5/8" Tube Union                       |                     |
| BAX1200 14     | 7/8" Tube Union                       |                     |
| BAX1200 16     | 1" Tube Union                         |                     |
| BAX3100 06     | 3/8" NPT x 3/8" Tube Tee              |                     |
| BAX3100 08     | 1/2" NPT x 1/2" Tube Tee              |                     |
| BAX3100 10     | 1/2" NPT x 5/8" Tube Tee              |                     |
| BAX3100 14     | 3/4" NPT x 7/8" Tube Tee              |                     |
| BAX3100 16     | 1" NPT x 1" Tube Tee                  |                     |
| BAX3200 08     | 1/2" Tube Tee                         |                     |
| BAX3200 14     | 7/8" Tube Tee                         |                     |
| BAX3200 16     | 1" Tube Tee                           |                     |

## Detail Dept Fittings List

| New #         | Part #         | Description                | Quantity  |
|---------------|----------------|----------------------------|-----------|
| 319-06        | 840FS-06       | JIC Tube Sleeve            |           |
| 319-08        | 840FS-08       | JIC Tube Sleeve            | X         |
| 319-10        | 840FS-10       | JIC Tube Sleeve            |           |
| 319-14        | 840FS-14       | JIC Tube Sleeve            | X       X |
| 319-16        | 840FS-16       | JIC Tube Sleeve            |           |
| 318-06        | 841FS-06       | JIC Tube Nut               |           |
| 318-08        | 841FS-08       | JIC Tube Nut               | X         |
| 318-10        | 841FS-10       | JIC Tube Nut               |           |
| 318-14        | 841FS-14       | JIC Tube Nut               | X       X |
| 318-16        | 841FS-16       | JIC Tube Nut               |           |
| 2403-06       | 842FS-06       | Male JIC x Male JIC        |           |
| 2403-08       | 842FS-08       | Male JIC x Male JIC        | X         |
| 2403-08-06    | 842FS-08-06    | Male JIC x Male JIC        |           |
| 2403-10-08    | 842FS-10-08    | Male JIC x Male JIC        |           |
| 2403-14       | 842FS-14       | Male JIC x Male JIC        |           |
| 2403-14-12    | 842FS-14-12    | Male JIC x Male JIC        | X       X |
| 2403-16       | 842FS-16       | Male JIC x Male JIC        |           |
| 2403-16-12    | 842FS-16-12    | Male JIC x Male JIC        |           |
| 2603-06       | 844FS-06       | Male JIC Tee               |           |
| 2603-08       | 844FS-08       | Male JIC Tee               |           |
| 2603-08-08-06 | 844FS-08-08-06 | Male JIC Tee               |           |
| 2603-14       | 844FS-14       | Male JIC Tee               |           |
| 2603-16-16-16 | 844FS-16-16-16 | Male JIC Tee               |           |
| 2406-12-16    | 883FS-12-16    | Female JIC x Male JIC Rdcr |           |
| 2406-14-12    | 883FS-14-12    | Female JIC x Male JIC Rdcr |           |

2603-08 x 08 x 08 - 1

2603-14 x 14 x 14 = 11



# A.F.E. Manufacturing Order Form

Customer Name: S. Potatoes  
 Address: \_\_\_\_\_  
 Phone Number: \_\_\_\_\_  
 Fax Number: \_\_\_\_\_

5-21-09

|                                          | Standard | Option  |
|------------------------------------------|----------|---------|
| Engine:                                  |          |         |
| M11-350HP Cummins                        |          |         |
| QSX-450HP Cummins                        |          | xxxxxxx |
| 470HP John Deere                         |          |         |
| 450HP CAT                                |          |         |
| Rear Tires:                              |          |         |
| 23.5 x 26                                |          |         |
| 26.5 x 26                                |          |         |
| 28L x 26                                 |          |         |
| 6600-43 x 25 Goodyear                    |          | xxxxxxx |
| Front Tires:                             |          |         |
| 17.5 x 24                                |          |         |
| 1400-24 x 12                             |          | xxxxxxx |
| 4800-25 x 30                             |          |         |
| Row Spacing:                             |          |         |
| 34" w/30" Bed                            |          |         |
| 34" w/32" Bed                            |          | xxxxxxx |
| 36" w/33" Bed                            |          |         |
| 36" w/34" Bed                            |          |         |
| Rows:                                    |          |         |
| 3                                        |          |         |
| 4                                        |          | xxxxxxx |
| 6                                        |          |         |
| 8                                        |          |         |
| Primary Bed:                             |          |         |
| Full Width-Common Lift                   |          | xxxxxxx |
| Split w/ Center Coulter                  |          |         |
| Full Width, side to side w/cylinder lift |          |         |
| Primary Bed:                             |          |         |
| Single Width                             |          | xxxxxxx |
| Flex LockWood Style                      |          |         |
| Double Width                             |          |         |
| Primary Drives:                          |          |         |
| Top Drive                                |          |         |
| Revering Drive                           |          | xxxxxxx |
| Chain & Sprocket                         |          |         |
| Gear Box                                 |          | xxxxxxx |
| Direct Drive Motor                       |          |         |
| VIS Motors                               |          |         |
|                                          | Standard | Option  |
| Secondary:                               |          |         |
| Regular Length                           |          |         |

For Office use Only:  
 Description: 4RSPH65LAH  
 Serial #: 09038  
 Build #: \_\_\_\_\_



# A.F.E. Manufacturing Order Form

Customer Name: \_\_\_\_\_

Address: \_\_\_\_\_

Phone Number: \_\_\_\_\_

Fax Number: \_\_\_\_\_

|                                      |          |                                                      |
|--------------------------------------|----------|------------------------------------------------------|
| 18" Extended                         | xxxxxxx  | To accomadate shorter Star Table                     |
| Second Secondary                     |          |                                                      |
| 24" Extended                         |          |                                                      |
| Secondary Chain:                     |          |                                                      |
| Full Width                           | xxxxxxx  |                                                      |
| Single Width                         |          |                                                      |
| Secondary Drive:                     |          |                                                      |
| Chain & Sprocket                     |          |                                                      |
| Gear Box                             | xxxxxxx  |                                                      |
| Deviner:                             |          |                                                      |
| 125mm - 5"                           |          |                                                      |
| 150mm - 6"                           | xxxxxxx  |                                                      |
| 150mm - 7"                           |          |                                                      |
| 200mm - 8"                           |          |                                                      |
| Deviner Drive:                       |          |                                                      |
| Chain & Sprocket                     |          |                                                      |
| Gear Box                             | xxxxxxx  |                                                      |
| Primary Reversing Valves - 2 needed: | xxxxxxx  |                                                      |
| Secondary & Deviner                  | xxxxxxx  |                                                      |
| Star Table:                          |          |                                                      |
| Non Adjustable                       |          |                                                      |
| Adjustable                           |          |                                                      |
| Full Width after Secondaries         | xxxxxxx  | Shortened Star Table less 2 stars and 1 steel roller |
| 4 Row                                | xxxxxxx  | with option to add back if needed                    |
| 6 Row                                |          |                                                      |
| Cross:                               |          |                                                      |
| 35"                                  |          |                                                      |
| 40"                                  |          |                                                      |
| 48"                                  | xxxxxxx  |                                                      |
| Split Cross:                         |          |                                                      |
| 2-24"                                |          |                                                      |
| AirHead:                             |          |                                                      |
| 40"                                  |          |                                                      |
| 50"                                  |          |                                                      |
| 65"                                  | xxxxxxx  |                                                      |
|                                      | Standard | Option                                               |
| Bell Cleaner:                        |          | NO BELL CLEANER                                      |
| Stone Conveyor:                      |          |                                                      |
| Hook Chain                           |          |                                                      |
| Belted Chain                         | xxxxxxx  |                                                      |

# A.F.E. Manufacturing Order Form

Customer Name: \_\_\_\_\_

Address: \_\_\_\_\_

Phone Number: \_\_\_\_\_

Fax Number: \_\_\_\_\_

|                                |          |         |                                                                     |  |  |  |
|--------------------------------|----------|---------|---------------------------------------------------------------------|--|--|--|
| Solid Floor                    |          | xxxxxxx | Open under air head                                                 |  |  |  |
| Vine Belt:                     |          |         |                                                                     |  |  |  |
| 40"                            |          |         |                                                                     |  |  |  |
| 50"                            |          |         |                                                                     |  |  |  |
| 65"                            |          | xxxxxxx | NO stars feeding on vine belt NO steel roll either with an actuator |  |  |  |
| 12'                            |          |         |                                                                     |  |  |  |
| 18'                            |          |         |                                                                     |  |  |  |
| Sort Table:                    |          |         |                                                                     |  |  |  |
| 30"                            |          |         |                                                                     |  |  |  |
| 35"                            |          |         |                                                                     |  |  |  |
| 40"                            |          |         |                                                                     |  |  |  |
| BulkLoader:                    |          |         |                                                                     |  |  |  |
| 30"                            |          |         |                                                                     |  |  |  |
| 35"                            |          |         |                                                                     |  |  |  |
| 40"                            |          | xxxxxxx |                                                                     |  |  |  |
| Vibrator:                      |          |         |                                                                     |  |  |  |
| Rotating Primary               |          | xxxxxxx |                                                                     |  |  |  |
| Rotating Secondary             |          |         |                                                                     |  |  |  |
| Rocking Shaker                 |          |         |                                                                     |  |  |  |
| Rear Steering:                 |          |         |                                                                     |  |  |  |
| Non Steerable                  |          |         |                                                                     |  |  |  |
| 37 Degree Steerable            |          | xxxxxxx | new style with foot pedal                                           |  |  |  |
| Front Wheel Motors:            |          |         |                                                                     |  |  |  |
| MS18                           |          | xxxxxxx |                                                                     |  |  |  |
| MS18 plus 20                   |          |         |                                                                     |  |  |  |
| Rear Wheel Motors:             |          |         |                                                                     |  |  |  |
| MS35                           |          |         |                                                                     |  |  |  |
| MS50                           |          | xxxxxxx |                                                                     |  |  |  |
| MS83                           |          |         |                                                                     |  |  |  |
| Ground Drive:                  |          |         |                                                                     |  |  |  |
| 2 Wheel                        |          |         |                                                                     |  |  |  |
| 4 Wheel                        |          | xxxxxxx |                                                                     |  |  |  |
| Tandem 248 Primary Pump        |          |         |                                                                     |  |  |  |
|                                | Standard | Option  |                                                                     |  |  |  |
| Triple 248 Primary & Secondary |          |         | Electronic                                                          |  |  |  |
| Tandem Pumps to drive AirHead: |          |         | Electronic                                                          |  |  |  |
| M-Table:                       |          |         |                                                                     |  |  |  |
| Fan for M-Table:               |          |         |                                                                     |  |  |  |



## A.F.E. Manufacturing Order Form

Customer Name: \_\_\_\_\_

Address: \_\_\_\_\_

Phone Number: \_\_\_\_\_

Fax Number: \_\_\_\_\_

[illegible]

## A.F.E. Manufacturing Order Form

Customer Name: \_\_\_\_\_

Address: \_\_\_\_\_

Phone Number: \_\_\_\_\_

Fax Number: \_\_\_\_\_

Customer Approval/Acceptance:

Date:

3-26-09

*Jeff Bartlett*

Additional Comments:

Fold over stone box

12" Raize in cab

Electrical gauges

Removable sand pans on primarys

Kicker for vine cutters

Electronic air head leveling

Front axle to be on 32" centers RH side 34" LH side 32"

Digger Blades outside offset 2 middle center

Window in bin

4 Camera System



[illegible]

BEGINNING DATE  
END DATE

R & R A.H. Pump & Motor (Sackett Potatoes)

[illegible]