

11051

Cardinal

HRSPT 5+ wa

Advanced Farm Equipment, LLC

Customer CARDINAL

W/O# 11050

S# 11050

Initials

Section

Plastic

- ☐ Conveyors
- ☐ Airhead
- ☐ Sorting Table
- ☐ Trash Chute
- ☐ Stone Conveyor
- ☐ Bin

Belting

- ☐ Airhead
- ☐ Door
- ☐ Sides
- ☐ Pillow
- ☐ Diaphragm

- ☐ Cross Conv
- ☐ Stone Conv
- ☒ Rear Axle
- ☒ Star Rolls
- ☒ Distributor
- ☐ Vine Belt Shield
- ☒ Bin

Oil Tank

- ☒ Breathers
- ☒ Sight Guage
- ☒ Plumbed Per Specs
- ☒ In Tank Filters

Initials

Section

Rollers

- Digger Bed
- ☒ Primary
- ☒ Secondary
- ☒ Cross Conv
- ☒ Side Convs
- ☐ Stone Conv
- ☒ Sorting Conv or Bin Fill
- ☒ Bulk Loader
- ☐ Stone Conveyor

Sprockets

- ☒ Primary
- ☒ Secondary
- ☒ Cross Conv
- ☐ Lower Side Conv
- ☒ Upper Side Conv
- ☒ Sorting Conv or Bin Fill
- ☒ Bulk Loader
- ☐ Stone Conv

Gear Boxes

- ☒ Engine 15W
- ☐ Airhead 15W
- ☒ Chain Drive 90W
- ☒ Grease All Bearings & Wear Plates
- ☒ Durst Gear Box W/Syntec Oil
- ☒ Breathers

Advanced Farm Equipment, LLC

Customer

W/O#

S#

Engine

Misc

B.S.	☒	Radiator Hoses	G.S.	☒	Battery Cables
G.S.	☒	Heater Hoses	G.S., P.T.	☒	Control Cables
T.M.	☒	Engine Oil	C.S.	☒	Cover Wiring
		Radiator Fluid	C.S.	☒	Decals
P.T.	☒	Anti-Corrosive	N.H.	☒	Serial Number Plates
P.T.	☒	Half Water	T.M.	☒	Slow Moving Vehicle Sign
P.T.	☒	Half Anti-Freeze	N.H.	☒	Service Kit
T.M.	☒	Exhaust System	N.H.	☒	Tool Box
B.S.	☒	Air Intake System	N.H.	☒	Digger Blades Per Spec
N.H.	☒	Reversing Fan Option	N.H.	☒	Coulter Blades Per Spec
		Hydraulics	T.M.	☒	Set Screws Tight
N.H.	☒	Needle Valves	T.M.	☒	AFE Table
N.H.	☒	Check Valves	T.M.	☒	Vine Belt Dist
N.H.	☒	Flow Control Handles	T.M.	☒	Cross Dist
N.H.	☒	Hydraulic Oil	T.M.	☒	Bearings
N.H.	☒	Charge Pumps	N.H.	☒	Tires
P.T.	☒	Proper Motor Rotation		☐	Touch Up Paint
P.T.	☒	Plugs In Pumps		☐	Chain & Sprockets To Spec
P.T.	☒	Plugs In Manifolds			
	☐				

Notes / Comments:

Manufacturing Use Only

AFE Manufacturing Form
4 Row Self Propelled
Straight Thru Wrap-A-Round

Serial Number: _____

Customer: Fermes Constant Cardinal

Dealer: HTU Equip

Standard Equipment:		Special Notes
Full Width Digger Bed		
QSM 360 HP Cummins Engine		
4 Wheel Drive		
Rear Tires: 6600-43 x 25 Terra		
Front Tires: 1400-24 x 12 Tires		
40" Cross		
MS 50 Rear Motors		
Front Steps		
Strobe Light		
Back-Up Beeper		
	Options	
Engine		
* QSM-360 HP Cummins		
* QSM-400 HP Cummins		
* 9 Liter- 350 HP John Deere		
* 13.5 Liter 400 HP John Deere		
* QSX-450 HP Cummins	✓	X
* QSX -510HP Cummins		
*13.5 Liter 500 John Deere		
* 13.5 Liter 450 John Deere		
Rear Tires		
* 6600-43 x 25 Terra		X
Front Tires:		
*17.5 x 24		
*1400 x 24 x 12		+
*4800 x 25 x 12		
Steering:		
*No Rear Steering		
*37 Degree Rear Steering		X
Front Wheel Motors:		
*MS 18		
*MS 18 Plus 20%		X
Rear Wheel Motors:		
*MS 50		X
*MS 83		
Row Spacing		
* 32" with 30" chain		
* 34" with 32" chain		
* 36" with 33" chain		
* 36" with 34" chain		
* 38" with 36" chain		X
Digger Blade Bracket		
* Standard		
* Rock Guard		

Manufacturing Use Only

AFE Manufacturing Form 4 Row Self Propelled Straight Thru Wrap-A-Round

Serial Number: _____

Customer: _____

Dealer: _____

Digger Blades		
* Regular Straight		
* Extended Straight		
* Clod Blades		
* Sand Blades		
* Full Width Solid Blade 3/4" x 12"		
* Regular Straight w/ Plastic Under		
* Full Width Solid 3/4" X 12 w/ Bevel		
* Full Width Solid 3/4" X 12 w/ Rod		
Easy Pull Blades	X	with rollers
Center Blades		
* 12"	X	
* 15"		
Diablo Rollers	X	with accumulator.
Primary Bed		
* Full Width Common Lift	X	
* Full Width Side to Side Control		
Primary Drive		
* Top Drive		
* Reverse Drive	X	
Primary Bed Chains		
* Single Width Belted		
* Double Width Belted	X	
Primary Belted Chains		
* 45 mm All Straight Belted Chains	X	Rolls 7/16 / all down
* 45 mm 2 Down & 1 Straight Belted Chains		
* 50 mm All Straight Belted Chains		
* 50 mm 2 Down & 1 Straight Belted Chains		
* 50 mm 1 Up & 2 Down Belted Chains		
* 56 mm All Straight Belted Chains		
Lockwood Style Chain, Double Belt Middle	X	
Double Width Single Belt Middle		
Secondary Bed Chains		
* Single Belted SRT		
* Full Belted SRT	X	
Secondary Belted Chains		
* 45 mm All Straight SRT		42mm with flitch every 6 rods
* 45 mm 2 Down & 1 Straight SRT	X	- c flex B flex
* 50 mm All Straight SRT		
* 50 mm 2 Down & 1 Straight SRT		
2nd Secondary		
* No 2nd Secondary		
* 2nd Secondary Belted Chain		
2nd Secondary Belted Chain Width		
* No Second Secondary		
* Single Belted Chains		
* Full Belted SRT		

-Call me

Manufacturing Use Only

AFE Manufacturing Form
4 Row Self Propelled
Straight Thru Wrap-A-Round

Serial Number: _____

Customer: _____

Dealer: _____

2nd Secondary Belted Chains		
*No 2nd Secondary		
*45mm All Straight SRT		
*45mm 2 Down & 1 Straight SRT		
*50mm All Straight SRT		
*50mm 2 Down & 1 Straight SRT		
2nd Secondary Star Table Options		
* No Star Table Option		
* 5 Stars with Distributor Stars on Cross		
* 6 Stars with 2 Adjustable Smooth Roll and Distributing stars on cross, extra star roll on left	X	
Primary Drive Option		
* 6,000 Hydraulic Motor w/Chain		
* 6,000 Hydraulic Motor w/Gear Box	X	
* VIS Direct Drive Motor		
Secondary Drive Option		
* 6,000 Hydraulic Motor w/Chain	X	
* 6,000 Hydraulic Motor w/Gear Box		
2nd Secondary Drive Option		
*No Secondary		
*6,000 Hydraulic Motor w/Chain		
*6,000 Hydraulic Motor w/Gear Box		
Deviner Drive Option		
* 6,000 Hydraulic Motor w/ Chain		
* 6,000 Hydraulic Motor w/ Gear Box	X	
Reversing Valve Option		
*No Reversing Valves		
*Primary	X	
*Secondary-Deviner		
*2nd Secondary		
Vibrator		
*No Vibrator		
*Rotating Hydraulic Shaker Primary		
*Rocking Hydraulic Shaker Primary	X	
*Rotating Hydraulic Shaker Secondary		
*Lift in Shaker		
Override Chain		To Follow
*150 mm		
*180 mm		
*200 mm		
Vine Coulters		
*Double Disk Coulters-Shorter Hub-Spudnik	X	
*Kickers		
Bulk Loader		
*35"		
*40"	X	

Manufacturing Use Only

AFE Manufacturing Form
4 Row Self Propelled
Straight Thru Wrap-A-Round

Serial Number: _____

Customer: _____

Dealer: _____

Bulk Loader Chain		
*40mm All Straight SRT		42mm C-Flx
*45mm All Straight SRT		
Self Leveling System		
*No Leveling System	X	
*Hydraulic Rear Cross & Side Elevator		
Rear Cross		
*40" Cross		
*48" Cross	X	
Rear Cross Chain		
*42mm All Straight SRT		42mm C-Flx
*50mm All Straight SRT		
Rear Cross Table Option		
*No Star Table Chain Only	X	
*Star Table		
Vine Belt Option-Top Side Elevator Return Conveyor		
*No Vine Belt	X	
*40" Vine Belt w/Fan and Distributing Stars		
*50" Vine Belt w/Fan and Distributing Stars		
*65" Vine Belt w/Fan and Distributing Stars		
*40" Vine Belt w/Fan and Stars w/Distributing Stars and Steel Roll leading onto Vine Belt		
*50" Vine Belt w/Fan and Stars w/Distributing Stars and Steel Roll leading onto Vine Belt		
*65" Vine Belt w/Fan and Stars w/Distributing Stars and Steel Roll leading onto Vine Belt		
Multi Sep Table - 69"	X	✓ ordered
Sort Table or Bin Fill		
*No Sort Table (if ordering Bin)	X	
*35"		
*40"	X	Bin Fill
Sort or Bin Fill Table Belted Chain		
*No Belted Chain		
*45mm All Straight SRT		
*50mm All Straight SRT		
Side Elevator Chain		
40"		
48"	X	Lt. Side Conveyor
Bin		
*No Bin		
*Bin with In Tank Fill Conveyor and Sonic Control	X	
*35" Fill Conveyor		
*40" Fill Conveyor	X	
*Flights on Belt, "V" shaped every 24"	X	
Rear Vine Blower	X	- Air Knife - ✓ ordered
Hydraulic Gauges		
* Electronic		
* Mechanical	X	
Camera Systems:	X	

Manufacturing Use Only

AFE Manufacturing Form
4 Row Self Propelled
Straight Thru Wrap-A-Round

Serial Number: _____

Customer: _____

Dealer: _____

Flow Controls		
*Flow Control with Actuator	X	
*Flow Control with Actuator and Gauge		
Primary Plates: 4" extensions on outside		
Raise Cab 12":	X	To Platform
Comments: Cab on a 4 Agle, will call. - Hydraulic foot controls for variable speed on primary - shaft under primary, will send pictures of Leusque. (NO) - possibility of setting cab ask once at customer's place.		
Estimated Delivery Date:	Date:	
Week of Aug 21/2011	April 5/2011	
Customer: <i>Mark Cardinal</i>	Date: <i>April 5/2011</i>	
Dealer: <i>Deanton</i>	Date: <i>April 5/2011.</i>	
Manufacturer:	Date:	

Manufacturing Use Only

AFE Manufacturing Form 4 Row Self Propelled Straight Thru Wrap-A-Round

Serial Number: _____

Customer: _____

Dealer: _____

Please Indicate Noffsinger or Broekema (N=Noffsinger / B=Broekema)

Mfg.	Chain/Location	Qty	Rod Size	Width	MM	LPR	Pattern	Covering
	Primary		7/16.		45		all down	
	Secondary		7/16.		42		2D1S.	C-Flex
	Deviner							
	Cross		7/16.	—	42.		2D1S all steps	C-Flex
	Side		7/16.		42		2D1S	C-Flex.
	BulkLoader		7/16.				2D1S	
	Bin Fill		7/16.		42		5D1S.	C-Flex